

Public Health Command Europe

Laboratory Sciences



Customer Price List

DISCLAIMER: Please note that this document is known to be accurate as of the date published. However, it may not necessarily reflect the most up-to-date pricing information due to unforeseen changes. Please contact PHCE LS for any questions or discrepancies regarding invoicing.

General Terms & Conditions

- **Cost Analysis:** The prices in this Public Health Command – Europe (PHCE), Laboratory Sciences (LS) price list are strictly cost-based. The prices are subject to change without notice. All self-generated quotes based on this price list are only an estimate of the actual costs of analysis to include sample prep and processing but not shipping costs. The final invoice for all work indicates actual costs to the laboratory.
- **Price List Revisions:** Due to the wide geographic distribution and turnover in customers, LS neither maintains a list of recipients nor automatically provides updated copies of this price list. Please check occasionally with LS to ensure you are using the current revision. The contents of the LS Price List are subject to change based on method revisions, updates, or changes.
- **Sample Analysis Priority:** LS provides in-house analytical services at three levels of sample priority. LS is not responsible for and has limited influence on contract lab turnaround times:
 - **Priority Levels**
 - **Routine:** Standard laboratory priority. Thirty (30) Calendar Days.
 - **Immediate:** Elevated laboratory priority based upon potential health risk. A brief written justification is required. Fourteen (14) Calendar Days.
 - **Emergent:** Highest laboratory priority based upon potential or acute health risk. A written justification is required; ≤ Seven (7) Calendar Days (method dependent).
 - **TAT Disclaimers**
 - Laboratory Turnaround Time (TAT) is expressed in calendar days. Sample workload and laboratory manpower can impact the ability of the laboratory to meet the TAT goal.
 - TAT for all analyses are goals and are not guaranteed. LS' commitment to the customer is that we will ensure the in-house Laboratory Handling and Processing of samples is in accordance with the agreed sample priority. However, we cannot guarantee that the TAT goal will always be met.
 - Emergent Priority samples are analyzed ahead of all other samples. LS personnel will endeavor to work overtime, holidays, and weekends to provide the minimum TAT possible for sample analysis {Overtime and Weekend work will increase labor charges for the project}.
- **Methods:** Please refer to the LS Table 1 on the PHCE public website.

| Chemical Analyses | | | | |
|---|-----------|--------------|-----------------|-----------|
| Matrix Legend: PW: Potable Water (Includes Bottled Water); NPW: Non-Potable Water; I: Ice; BS: Bulk Solid; SL: Soil | | | | |
| Lab Legend: LS: PHCE; G: German contracted Lab; U: USA contracted Lab | | | | |
| Note: Bottled water analysis will not be performed on sparkling water. Please refer to Laboratory Sciences Customer Guide for more information about testing specifics | | | | |
| Analytes | Lab | Matrix | Total cost | |
| INORGANIC ANALYSES | | | | |
| Alkalinity | LS | PW / NPW | \$ 53.20 | |
| Ammonia | LS | PW / NPW | \$ 51.46 | |
| Anions | LS | PW / NPW / I | \$ 57.19 | |
| Color | LS | PW / NPW | \$ 24.17 | |
| Conductivity | LS | PW / NPW | \$ 53.31 | |
| Cyanide, Free | LS | PW / NPW / I | \$ 34.93 | |
| Digestion | LS | BS / SL | \$ 44.74 | |
| Dry/Wet Ratio | LS | BS / SL | \$ 21.50 | |
| Langelier Saturation Index | LS | PW | \$ 21.50 | |
| Metals via EPA 200.7 | LS | PW / NPW / I | \$ 30.52 | |
| Metals via EPA 200.8 | LS | PW / I | \$ 24.11 | |
| Odor | LS | PW / NPW | \$ 21.17 | |
| pH | LS | PW / NPW | \$ 24.75 | |
| Total Dissolved Solids (TDS) | LS | PW / NPW | \$ 21.50 | |
| Total Hardness | LS | PW / NPW | \$ 30.52 | |
| Total Nitrate/Nitrite | LS | PW / NPW | \$ 56.57 | |
| Total Residual Chlorine | LS | PW | \$ 37.70 | |
| Total Suspended Solids (TSS) | LS | PW / NPW | \$ 23.30 | |
| Turbidity | LS | PW / NPW / I | \$ 22.92 | |
| ORGANIC ANALYSES | | | | |
| Adipate & Phthalate | LS/G | PW / NPW | \$53.28/247.00 | |
| Chlorinated Pesticides | LS | PW / NPW | \$ 124.49 | |
| Carbamates | LS | PW / NPW | \$ 81.07 | |
| Ethylene dibromide (EDB)/1,2-Dibromo-3-chloropropane (DBCP) | LS | PW / NPW | \$ 103.28 | |
| Glyphosate & AMPA | LS | PW / NPW | \$ 60.91 | |
| Haloacetic Acids Five (HAA5) | LS/U | PW | \$118.13/221.37 | |
| Herbicides | LS | PW / NPW | \$ 169.98 | |
| Polycyclic Aromatic Hydrocarbons (PAHs) | LS | PW / NPW | \$ 204.24 | |
| Total Trihalomethanes (TTHM) | LS | PW / NPW | \$ 68.46 | |
| Total Volatile Organic Compounds (VOCs) | LS | PW / NPW | \$ 68.46 | |
| Total VOCs | LS | BS / SL | \$ 97.12 | |
| per-and poly fluoroalkyl substance (PFAS) | EPA 537.1 | LS | PW | \$ 325.00 |
| | EPA 533 | U | PW | \$ 585.00 |

| CONTRACTED ANALYSES | | | |
|---|-----|--------------------|----------------|
| Matrix Legend: DW: Drinking Water; BS: Bulk Solid; SL: Soil; RW: Raw Water; WW: Wastewater; BL: Bottled Water; GW: Ground Water | | | |
| Acid Capacity | G | BL, DW, GW | \$ 24.53 |
| Acrylamide | G | BL, DW, GW | \$ 221.10 |
| Adsorbable Organic Halides (AOX) / DOC | G | BL, DW, GW | \$ 52.45 |
| Ammonia | G | DW | \$ 19.56 |
| Asbestos (w/ Ozonation) | U | DW | \$ 184.16 |
| Base Capacity | G | BL, DW, GW | \$ 24.79 |
| Bromate | G | DW | \$ 45.14 |
| Chlorate | G | DW | \$ 46.15 |
| Chloride | G | BL, DW, GW, WW | \$ 20.25 |
| Chlorite | G | DW | \$ 48.40 |
| Chromium VI | G | BL, DW, GW, WW | \$ 22.35 |
| Cyanide, Free | G | BL, DW, GW | \$ 37.19 |
| Cyanide, Total | G | BL, DW, GW | \$ 37.13 |
| Dioxin | G | W, WW, SL | \$ 536.12 |
| Diquat / Paraquat | G | DW | \$ 147.07 |
| Dissolved Organic Carbon (DOC) | G | BL, DW, GW | \$ 32.96 |
| Dry Residue @ 105C | G | DW, GW, BL, WW | \$ 28.14 |
| Dry Residue @ 180C | G | DW, GW, BL, WW | \$ 28.14 |
| Endothall | G | DW | \$ 202.34 |
| Epichlorohydrin | G | BL, DW, GW | \$ 221.11 |
| Explosives | G | BS | \$ 305.09 |
| Fluoride | G | BL, DW, GW, WW | \$ 21.66 |
| Glyphosate (Low Level) | G | BL, DW, GW | \$ 230.91 |
| Gross Alpha / Beta | U/G | SL | \$71.87/496.92 |
| Herbicides in Soil: 2,4-D, 2,4,5-TP | G | SL | \$ 235.24 |
| Hydrocarbon-Index (GC/FID) | G | W | \$ 47.55 |
| K-Nitrogen | G | BL, DW, GW, WW | \$ 53.91 |
| Mercury (SL) | G | SL | \$ 25.16 |
| Metals (incl. Digestion Fee & Measuring Price per Metal), add \$2.04 for each metal, add \$15 for each silver | G | BL, DW, GW, WW, SL | \$ 23.83 |
| Mineral Oil content | G | SL | \$ 47.55 |
| Nitrate | G | BL, DW, GW, WW | \$ 21.66 |
| Nitrite | G | BL, DW, GW, WW | \$ 18.15 |
| PAH | G | BS / SL | \$ 72.74 |
| PAH + 1- and 2-Methylnaphthalene | G | W/WW | \$ 64.35 |
| Percent Dry Weight | G | SL | \$ 11.44 |
| Perchlorate | U | DW | \$ 279.16 |
| Pesticides, add \$1.44 for each pesticide | G | BL, DW, GW, WW | \$ 144.13 |
| Pesticides (Organochlorine & Organophosphorus) | G | SL | \$ 200.12 |
| pH after CaCO ₃ Saturation | G | BL, DW, GW | \$ 25.22 |

| | | | |
|--|---|----------------|-----------|
| Phenols, Total | G | WW | \$ 41.95 |
| Phosphorus, Total | G | BL, DW, GW, WW | \$ 26.70 |
| Polychlorinated Biphenyls (PCB) | G | SL | \$ 72.74 |
| Polycyclic Aromatic Hydrocarbons (PAH) | G | SL | \$ 72.74 |
| Radium 226 / 228 | U | DW | \$ 126.17 |
| Tritium | U | DW | \$ 75.30 |
| Sulfate | G | BL, DW, GW, WW | \$ 20.96 |
| Surfactants Anionic | G | BL, DW, GW, WW | \$ 101.34 |
| Surfactants Cationic | G | BL, DW, GW, WW | \$ 163.86 |
| Surfactants Non-ionic | G | BL, DW, GW, WW | \$ 163.80 |
| TDS | G | BL, DW, GW, WW | \$ 42.02 |
| Total Bound Nitrogen | G | DW, GW, WW | \$ 39.54 |
| Total Chlorine | G | DW, GW, WW | \$ 19.56 |
| Total Organic Carbon | G | BL, DW, GW, WW | \$ 25.34 |
| Toxaphene | G | BL, DW, GW, WW | \$ 168.00 |
| TSS | G | BL, DW, GW, WW | \$ 28.03 |
| Uranium, ICP + aqua regia | G | SL | \$ 67.15 |
| Uranium; water no Digestion | G | DW, GW | \$ 67.15 |
| Uranium, water tests ICP + HNO ₃ /H ₂ O ₂ | G | BL, WW | \$ 45.45 |

Vector-borne Disease Analyses

Each analysis will include an additional cost of \$38.05 for DNA/RNA Extraction

| Analyte | Lab | Matrix | Total cost |
|--|-----|----------|------------|
| A. phagocitophilum | LS | Tick | \$ 76.96 |
| Crimean-Congo haemorrhagic fever virus | LS | Mosquito | \$ 91.69 |
| Chikungunya virus | LS | Mosquito | \$ 91.69 |
| Dengue fever Virus | LS | Mosquito | \$ 91.69 |
| Ehrlichia spp. | LS | Tick | \$ 76.96 |
| Leishmania spp. | LS | Sand Fly | \$ 76.96 |
| Borrelia spp. (Lyme Disease) | LS | Tick | \$ 76.96 |
| Plasmodium spp. (Malaria) | LS | Mosquito | \$ 76.96 |
| Sicilian Sand Fly Fever virus | LS | Sand Fly | \$ 91.69 |
| Tick-borne encephalitis (TBE) virus | LS | Tick | \$ 91.69 |
| West Nile fever Virus | LS | Mosquito | \$ 91.69 |
| Zika Virus | LS | Mosquito | \$ 91.69 |
| Rickettsia | LS | Tick | \$ 76.96 |

Rabies Analyses

| Method | Lab | Matrix | Total cost |
|------------|-----|---------------------|------------|
| Rabies DFA | LS | Animal brain tissue | \$ 538.99 |
| Rabies PCR | LS | Animal brain tissue | \$ 389.73 |

| Microbiological Analyses | | | |
|---|-----|--------------------------|------------|
| All unit costs cover the full analysis and data entry for every 5 samples per analyte | | | |
| Food Type | Lab | Analytes | Total cost |
| Dry Pet Food & Treats | G | Salmonella spp. confirm. | \$ 67.15 |
| Fresh Pet Food | G | Salmonella spp. confirm. | \$ 67.15 |
| Juice/Drink (Non-Pasteurized) | G | E. coli | \$ 29.36 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | G | Sulfites | \$ 53.14 |
| | LS | Salmonella spp. | \$ 306.34 |
| Juice/Drink (Pasteurized) | G | E. coli | \$ 29.36 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | G | Sulfites | \$ 53.14 |
| | LS | Salmonella spp. | \$ 306.34 |
| Smoothies - if tested similar to juices and nectars | G | E. coli | \$ 29.36 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | G | Sulfites | \$ 53.14 |
| | LS | Salmonella spp. | \$ 306.34 |
| Infant Formula | LS | APC | \$ 179.78 |
| | G | Cronobacter sakazakii | \$ 76.10 |
| | LS | Total coliforms | \$ 166.43 |
| | LS | Staphylococcus spp. | \$ 180.66 |
| | LS | Bacillus cereus | \$ 173.18 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| Cottage Cheese | LS | Salmonella spp. | \$ 306.34 |
| | LS | Coliforms | \$ 165.23 |
| Hard Cheese | LS | Yeasts and molds | \$ 225.99 |
| | LS | E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| Natural Cheese | LS | Salmonella spp. | \$ 218.74 |
| | LS | E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | E. coli O175:H7 | \$ 278.99 |

| | | | |
|---|----|--------------------------------|-----------|
| Natural Cheese | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 218.74 |
| Processed Cheese | LS | E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 218.74 |
| Ricotta Cheese - IAW App. O tested as "Grade A past. Milk and/or milk products" | LS | Coliforms | \$ 165.23 |
| | LS | Yeasts and molds | \$ 225.99 |
| Soft Cheese | LS | E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 218.74 |
| Buttermilk - IAW App. O tested as "Grade A past. Milk and/or milk products" | LS | Coliforms | \$ 165.23 |
| Chilled Yogurt | LS | Coliforms | \$ 165.23 |
| | LS | Yeasts and molds | \$ 225.99 |
| Frozen Yogurt - Flavored | LS | Coliforms | \$ 165.23 |
| | LS | Yeasts and molds | \$ 225.99 |
| Sour Cream | LS | Coliforms | \$ 165.23 |
| | LS | Yeasts and molds | \$ 225.99 |
| Yogurt Drinks | LS | Coliforms | \$ 165.23 |
| | LS | Yeasts and molds | \$ 225.99 |
| Butter | LS | Coliforms | \$ 165.23 |
| Condensed/Concentrated Milk | LS | Coliforms | \$ 165.23 |
| Cream - IAW App. O tested as "Grade A past. Milk and/or milk products" | LS | Coliforms | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |
| Eggnog - IAW App. O tested as "Grade A past. Milk and/or milk products" | LS | Coliforms | \$ 165.23 |
| Flavored Milk | LS | Coliforms | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |

| | | | |
|--------------------------------------|----|--------------------------------|-----------|
| Grade A Pasteurized Milk | LS | Coliforms | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |
| Low fat Milk | LS | Coliforms | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |
| Skim Milk | LS | Coliforms | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |
| Ultra-Pasteurized Milk | LS | Coliforms | \$ 165.23 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | LS | Coliforms | \$ 165.23 |
| Whole Milk | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | G | Inhibitor test (Drug Residues) | \$ 102.14 |
| | G | Phosphatase | \$ 81.14 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| All Fish Not Otherwise Listed | LS | Salmonella spp. | \$ 306.34 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | G | Polychlorinated Biphenyls | \$ 72.74 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| Cured/Salted/Smoked Fish | LS | Salmonella spp. | \$ 306.34 |
| | G | Water Phase salt (WPS) | \$ 256.10 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | G | Polychlorinated Biphenyls | \$ 72.74 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| Cured/Salted/Smoked Fish - Anaerobic | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Water Phase salt (WPS) | \$ 256.10 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | G | Polychlorinated Biphenyls | \$ 72.74 |
| | LS | APC | \$ 179.78 |
| Imported Shellfish | LS | E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Salmonella spp. | \$ 306.34 |
| | G | Vibrio cholerae | \$ 81.14 |
| | G | Vibrio parahaemolyticus | \$ 81.14 |
| | G | Vibrio vulnificus | \$ 81.14 |
| | G | Clostridium botulinum toxin | \$ 228.10 |

| | | | | |
|---------------------------------|----|-----------------------------|----|--------|
| Imported Shellfish | G | Polychlorinated Biphenyls | \$ | 72.74 |
| Raw Fish/Seafood | LS | Staphylococcus aureus | \$ | 144.66 |
| | LS | Salmonella spp. | \$ | 306.34 |
| | G | Chloramphenicol | \$ | 198.56 |
| | G | Methylmercury | \$ | 457.76 |
| | G | Clostridium botulinum toxin | \$ | 228.10 |
| | G | Polychlorinated Biphenyls | \$ | 72.74 |
| RTE Fish | LS | Staphylococcus aureus | \$ | 180.66 |
| | LS | Salmonella spp. | \$ | 306.34 |
| | LS | Listeria monocytogenes | \$ | 268.99 |
| | G | Clostridium botulinum | \$ | 228.10 |
| | G | Clostridium botulinum toxin | \$ | 228.10 |
| | G | Polychlorinated Biphenyls | \$ | 72.74 |
| | G | Vibrio vulnificus | \$ | 81.14 |
| Fresh or Frozen Shellfish | LS | APC | \$ | 179.78 |
| | LS | E. coli | \$ | 165.23 |
| | LS | Staphylococcus aureus | \$ | 180.66 |
| | LS | Salmonella spp. | \$ | 306.34 |
| | G | Vibrio cholerae | \$ | 81.14 |
| | G | Vibrio parahaemolyticus | \$ | 81.14 |
| | G | Vibrio vulnificus | \$ | 81.14 |
| | G | Clostridium botulinum | \$ | 228.10 |
| | G | Clostridium botulinum toxin | \$ | 228.10 |
| | G | Polychlorinated Biphenyls | \$ | 72.74 |
| Tuna Mahi-Mahi and Related Fish | LS | Staphylococcus aureus | \$ | 180.66 |
| | LS | Salmonella spp. | \$ | 306.34 |
| | G | Histamine | \$ | 179.12 |
| | G | Clostridium botulinum | \$ | 228.10 |
| | G | Clostridium botulinum toxin | \$ | 228.10 |
| | G | Polychlorinated Biphenyls | \$ | 72.74 |
| Bagged Salad | LS | E. coli | \$ | 165.23 |
| | LS | Staphylococcus aureus | \$ | 180.66 |
| | LS | E. coli O175:H7 | \$ | 278.99 |
| | G | STEC | \$ | 54.56 |
| | LS | Listeria monocytogenes | \$ | 268.99 |
| | LS | Salmonella spp. | \$ | 306.34 |
| Fresh Fruits & Vegetables | LS | E. coli | \$ | 165.23 |
| | LS | Staphylococcus aureus | \$ | 180.66 |
| | LS | E. coli O175:H7 | \$ | 278.99 |
| | G | STEC | \$ | 54.56 |
| | LS | Listeria monocytogenes | \$ | 268.99 |
| | LS | Salmonella spp. | \$ | 306.34 |
| Processed Fruits & Vegetables | LS | E. coli | \$ | 165.23 |

| | | | |
|--|----|--|-----------|
| Processed Fruits & Vegetables | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | LS | Listeria monocytogenes | \$ 294.19 |
| | LS | Salmonella spp. | \$ 122.74 |
| Flavored Ice Cream Mix (Novelties, synthetic sugars, nuts, chocolate etc.) | LS | Coliforms | \$ 166.43 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | LS | Salmonella spp. | \$ 317.98 |
| Ice Cream | LS | Coliforms | \$ 166.43 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | LS | Salmonella spp. | \$ 317.98 |
| Eggs | LS | Salmonella spp. | \$ 317.98 |
| Poultry - RTE/ RTC | LS | Staphylococcus aureus | \$ 181.56 |
| | G | Campylobacter jejuni | \$ 75.44 |
| | G | Clostridium botulinum | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Raw Meats (Beef) | LS | Coliforms/ E. coli | \$ 165.23 |
| | LS | Standard Plate Count (SPC) | \$ 179.78 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Salmonella spp. | \$ 306.34 |
| Raw Meats (Non-Beef) - IAW App. O only percent fat | LS | Standard Plate Count (SPC) | \$ 179.78 |
| RTE Meats (Beef) | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus plate count | \$ 173.18 |
| | LS | Bacillus cereus TEMPO | \$ 162.02 |
| | G | Campylobacter jejuni | \$ 233.84 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| RTE Meats (Non-Beef) | LS | Staphylococcus aureus | \$ 180.66 |
| | G | Clostridium botulinum toxin | \$ 228.10 |

| | | | |
|------------------------------|----|--|-----------|
| RTE Meats (Non-Beef) | LS | Bacillus cereus | \$ 162.02 |
| | G | Campylobacter jejuni | \$ 75.44 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Caterers (No Beef & Aerobic) | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Kimchee/Kimchi | LS | Coliforms/ E. coli | \$ 165.23 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | G | Clostridium botulinum | \$ 228.10 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Salmonella spp. | \$ 306.34 |
| Ready to Cook - Anaerobic | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Ready to Cook (Beef) | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Ready to Cook (Non-Beef) | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |

| | | | |
|--------------------------|----|--|-----------|
| Ready to Cook (Non-Beef) | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| RTE Foods | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| | LS | Staphylococcus aureus | \$ 180.66 |
| RTE Foods w/Beef | LS | Bacillus cereus | \$ 162.02 |
| | G | Clostridium botulinum toxin | \$ 228.10 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Salad - RTE | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Sandwich | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Clostridium perfringens | \$ 401.30 |

| | | | |
|---|----|--|-----------|
| Sandwich | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Sandwich w/Beef | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | E. coli O175:H7 | \$ 278.99 |
| | G | STEC | \$ 54.56 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Tofu | LS | Staphylococcus aureus | \$ 180.66 |
| | LS | Bacillus cereus | \$ 162.02 |
| | LS | Clostridium perfringens | \$ 401.30 |
| | G | Clostridium perfringens (vegetative cells) | \$ 42.66 |
| | G | Clostridium perfringens toxin | \$ 130.14 |
| | LS | Campylobacter jejuni | \$ 273.60 |
| | LS | Listeria monocytogenes | \$ 268.99 |
| | LS | Salmonella spp. | \$ 306.34 |
| Other Microbiological & Food Safety Testing | | | |
| Surface Swabs | LS | Aerobic Plate Count | \$ 178.69 |
| | LS | E. coli O157:H7 | \$ 206.82 |
| | LS | E. coli/Coliforms | \$ 164.17 |
| | LS | Listeria spp. | \$ 123.00 |
| | LS | Salmonella spp. | \$ 185.21 |
| | LS | Confirmations | \$ 184.47 |
| Bottled Water and Ice Testing | | | |
| Bottled Water and Ice Testing | LS | E. coli M-TEC 100 | \$ 166.82 |
| | LS | E. coli M-TEC 250 | \$ 359.65 |
| | LS | Coliforms MEndo 100 | \$ 166.85 |
| | LS | Coliforms MEndo 250 | \$ 359.65 |
| | LS | Heterotrophic Bacteria, 35 °C | \$ 129.13 |
| | G | Heterotrophic Bacteria, 20 °C | \$ 33.13 |
| | LS | Enterococcus M-Enter 100 | \$ 172.29 |
| | LS | Enterococcus M-Enter 250 | \$ 365.09 |
| | G | Clostridium perfringens | \$ 39.15 |

| | | | |
|-------------------------------|----|----------------------------------|-----------|
| Bottled Water and Ice Testing | LS | Pseudomonas aeruginosa M-PAC 100 | \$ 168.18 |
| | LS | Pseudomonas aeruginosa M-PAC 250 | \$ 360.98 |
| | G | Legionella spp. | \$ 60.15 |

Uncontrolled Copy
Current as of 09-Feb-2024 8:46